

Tiger



**POWERFUL.
EFFECTIVE.
READY TO USE.**

The Tiger platform is based on Glunz & Jensen trusted design and construction from the rugged and renowned Quartz Supreme series.

Tiger is intended for customers who have high processing demands and require robustness combined with convenient electronic features for daily use.

Tiger is manufactured at Glunz & Jensen Asia and like all Glunz & Jensen offset products it fulfills International Safety Standards and will be available for day-to-day shipment in the region.



▲ Tiger has a simple control panel with status/error information, function keys and four user-defined programs.



▲ The filter house is conveniently mounted under the frame, allowing access to the cooling unit and extra storage space.



▲ Tiger uses a traditional chain drive for rollers and brushes.



▲ Tiger complies with International Safety Standards.



All electronics and mechanical components are located on the sides of the processor, for easy and convenient access during maintenance.

Tiger processes traditional thermal plates with developer, wash, gum and dryer steps.



Glunz & Jensen's Remote Enabling System is included as standard and is used to configure the processor and allow for convenient remote service access via the internet.

Preventive Maintenance Kits are available for this product to maximize production uptime.



	Tiger	
MODEL	86T	126T
PERFORMANCE		
Market position	High capacity	
Plate types	Thermal plates	
Plate width (max)	850 mm	1250 mm
Plate length (min)	325 mm	
Plate thickness	0.2-0.4 mm	
Processing speed	50-240 cm/min	
CONSUMPTION		
Tank capacity (developer)	46 l	64 l
Temperature (developer)	20-34 °C	
Water (draining)	16 l/min	
Water (recirculating)	0.2 l/min	
Power (stand-by)	1.2 kW	
Power (operate)	3.6 kW	
GENERAL		
Dimensions (LxWxH)	1150 x 1260 x 1010-1100 mm	1240 x 1840 x 1010-1160 mm
Weight	210 kg	340 kg
Approvals	CE standards and RoHs directive.	
Standard	Simple control panel w. program selection, standard configured for typical applications, open water rinse w. 1 x brush, integrated cooling solution, developer filter (50 micron woven 10")	
Accessories	Feed table (L = 400 mm), delivery table (L = 1100 mm), water saving, integrated, 2 nd brush for negative applications	

Glunz & Jensen A/S
 Selandia Park 1
 DK-4100 Ringsted, Denmark
 +45 5768 8181
 gj@glunz-jensen.com

Glunz & Jensen, Inc.
 12633 Industrial Drive
 Granger, IN 46530, USA
 +1 574 272 9950
 gj-americas@glunz-jensen.com

Glunz & Jensen Asia
 Suzhou, 215129, P.R. China
 +852 9230 2919 (HK)
 +86 186 1199 2587 (CH)
 gj-china@glunz-jensen.com